

SONANCE

INVISIBLE SERIES ACCESSORIES

SONANCE DISC SYSTEM DEPTH GAUGE

Sonance Invisible Series installation finishing tool measures the surface finish over the Sonance Invisible Series speaker or subwoofer. The Sonance DISC System includes a series of 4 steel discs embedded in the speaker or subwoofer where the DISC Gauge can take a reading after finishing compound has been applied to the speaker surface. This precision tool will help the installer maintain a consistent and optimal thickness across each speaker in every project.



DG-1

SKU 93491

SONANCE DISC SYSTEM DEPTH GAUGE

- Compatible with all new Sonance Invisible Series Models
- UOM Each

SPACE SAVERS

Flat-packed, lightweight units designed to be installed into new construction to reserve locations for Sonance Invisible Series speakers and subwoofers during the early stages of construction. Sonance Invisible Series Space Savers are easy to transport and are reusable and recyclable. At the appropriate time, the speaker installer removes the Space Saver and replaces it with the Invisible Series speaker or subwoofer.

SMALL SPACE SAVER

- Compatible with IS6
- Dimensions (WxHxD): 16.10" x 16.10" x 2.67" (409mm x 409mm x 68mm)
- UOM Each



Small Space Saver

SKU 93492

MEDIUM SPACE SAVER

- Compatible with IS8, IS8T, IS10W
- Dimensions (WxHxD): 16.10" x 24.13" x 2.67" (409mm x 613mm x 68mm)
- Shipping Weight: 8 lbs (3.6kg)
- Net Weight: 5 lbs (2.3kg)
- UOM Each



Medium Space Saver

SKU 93493

LARGE SPACE SAVER

- Compatible with IS10
- Dimensions (WxHxD): 16.10" x 28.66" x 2.67" (409mm x 728mm x 68mm)
- UOM Each



Large Space Saver

SKU 93494

XLARGE SPACE SAVER

- Compatible with IS10-2W
- Dimensions (WxHxD): 16.1" x 42.8" x 3.86" (409mm x 1087mm x 98mm)
- UOM Each



XL Space Saver

SKU 93603

STANDARD SOUND ISOLATING ENCLOSURES

Back box enclosures designed to reduce sound transference. Not available for IS8T or IS15W as these models have a standard enclosure built in and therefore do not require an external enclosure.

SMALL ENCLOSURE

- Compatible with IS6
- Dimensions (WxHxD): 14.13" x 14.13" x 3.39" (359mm x 359mm x 86mm)
- Shipping Weight: 6 lbs (2.7kg)
- UOM Each



Small Enclosure
SKU IS-ENCL-S 93488

MEDIUM ENCLOSURE

- Compatible with IS8 and IS10W
- Dimensions (WxHxD): 14.13" x 22.17" x 3.39" (359mm x 563mm x 86mm)
- Shipping Weight: 12 lbs (5.4kg)
- UOM Each



Medium Enclosure
SKU IS-ENCL-M 93489

LARGE ENCLOSURE

- Compatible with IS10
- Dimensions (WxHxD): 14.13" x 26.69" x 3.39" (359mm x 678mm x 86mm)
- Shipping Weight: 12 lbs (5.4kg)
- UOM Each



Large Enclosure
SKU IS-ENCL-L 93490

IS PRECONSTRUCTION BRACKETS FOR STANDARD ENCLOSURES

Invisible Series Preconstruction Brackets (IS-PB) are intended to be used with IS Enclosures to help preserve speaker location during the rough in stage of construction. Once the project is ready for speaker installation, the IS-PB can be removed from the IS Enclosure to allow for the IS speaker to be installed.

SMALL IS-PB

- For IS6 S Enclosure into 0.5" wallboard
- For IS6 S Enclosure into 0.625" wallboard
- UOM Each



Small Preconstruction Bracket
SKU IS-S-PB.500 93618
IS-S-PB.625 93619

MEDIUM IS-PB


- For IS8-IS10W M Enclosure into 0.5" wallboard
- For IS8-IS10W M Enclosure into 0.625" wallboard
- UOM Each



Medium Preconstruction Bracket
SKU IS-M-PB.500 93622
IS-M-PB.625 93623

LARGE IS-PB

- For IS10 L Enclosure into 0.5" wallboard
- For IS10 L Enclosure into 0.625" wallboard
- UOM Each



Large Preconstruction Bracket
SKU IS-L-PB.500 93626
IS-L-PB.625 93627

NARROW SOUND ISOLATING ENCLOSURES

Back box enclosures designed to reduce sound transference in narrow TJI joist construction. Not available for IS8T or IS15W as these models have a standard enclosure built in and therefore do not require an external enclosure.

SMALL ENCLOSURE

- Compatible with IS6
- Dimensions (WxHxD): 10.43" x 13.9" x 7.78" (265mm x 353mm x 197.5mm)
- Shipping Weight: 10.6 lbs (4.81kg)
- UOM Each



Small Enclosure
IS-ENCL-S-NARROW 93533

MEDIUM ENCLOSURE

- Compatible with IS8 and IS10W
- Dimensions (WxHxD): 10.43" x 21.93" x 7.78" (265mm x 557mm x 197.5mm)
- Shipping Weight: 14.22 lbs (6.45kg)
- UOM Each



Medium Enclosure
IS-ENCL-M-NARROW 93534

LARGE ENCLOSURE

- Compatible with IS10
- Dimensions (WxHxD): 10.43" x 26.46" x 7.78" (265mm x 672mm x 197.5mm)
- Shipping Weight: 16.98 lbs (7.7kg)
- UOM Each



Large Enclosure
IS-ENCL-L-NARROW 93535

IS PRECONSTRUCTION BRACKETS FOR NARROW ENCLOSURES

Invisible Series Preconstruction Brackets (IS-PB) are intended to be used with IS Enclosures to help preserve speaker location during the rough in stage of construction. Once the project is ready for speaker installation, the IS-PB can be removed from the IS Enclosure to allow for the IS speaker to be installed.

SMALL IS-NARROW-PB


- For IS6 S Narrow Enclosure into 0.5" wallboard
- For IS6 S Narrow Enclosure into 0.625" wallboard
- UOM Each



Small Preconstruction Bracket
SKU IS-S-NARROW-PB.500 93620
IS-S-NARROW-PB.625 93621

MEDIUM IS-NARROW-PB


- For IS8-IS10W M Narrow Enclosure into 0.5" wallboard
- For IS8-IS10W M Narrow Enclosure into 0.625" wallboard
- UOM Each



Medium Preconstruction Bracket
SKU IS-M-NARROW-PB.500 93624
IS-M-NARROW-PB.625 93625

LARGE IS-NARROW-PB

- For IS10 L Narrow Enclosure into 0.5" wallboard
- For IS10 L Narrow Enclosure into 0.625" wallboard
- UOM Each



Large Preconstruction Bracket
SKU IS-L-NARROW-PB.500 93628
IS-L-NARROW-PB.625 93629